



# 2023 BRITISH GRAND PRIX

07 - 09 July 2023

---

<b>From</b>	The FIA Formula One Race Director	<b>Document</b>	1
<b>To</b>	All Teams, All Officials	<b>Date</b>	05 July 2023
		<b>Time</b>	16:40


---

<b>Title</b>	Event Notes - Pirelli Preview
<b>Description</b>	Pirelli Preview
<b>Enclosed</b>	GBR DOC 1 - Pirelli Preview.pdf

**Niels Wittich**

**The FIA Formula One Race Director**

**Grand Prix of Great Britain 07/07-09/07/2023 (23R11SLV)**



**Compounds selection**


Compound	FL	FR	RL	RR	Mandatory race tyres
<b>C1</b>	1T1	1T2	1T3	1T4	<b>C1</b>
<b>C2</b>	2U1	2U2	2U3	2U4	<b>C2</b>
<b>C3</b>	3V1	3V2	3V3	3V4	
<b>Intermediate</b>	9G1	9G2	9G3	9G4	<b>Q3 tyre</b>
<b>Wet</b>	95R	96R	97R	98R	<b>C3</b>

**Prescriptions**

**Pressures & camber**

	Minimum starting pressure			Expected stabilized running pressure	Camber limit
	Slicks	Intermediate	Wet		
<b>Front</b>	26.5 psi	27.5 psi	24.0 psi	≥28.5 psi	-2.75°
<b>Rear</b>	23.0 psi	24.5 psi	21.5 psi	≥25.0 psi	-1.50°

**Cold Pressure Cooling Curve**



$$P_{front} = (T - 70) \cdot 0.128 + P_{startf}$$

$$P_{rear} = (T - 70) \cdot 0.118 + P_{startr}$$

*P<sub>startf</sub>*: Minimum starting pressure on the front axle [psi]

*P<sub>startr</sub>*: Minimum starting pressure on the rear axle [psi]

*T*: Tyre temperature [°C]

**Maximum heating times and temperatures (tread & sidewall)**

Temperature	0	60	70 (°C)
<b>Slicks</b>	max. 2h		
<b>Intermediate</b>	max. 2h		
<b>Wet</b>	No blankets allowed		

- Temperatures refer to tyre tread and side wall temperatures, not blanket or controller set-point temperatures.
- Tyres may only be heated prior to the session in which they are intended to be used.
- The temperatures apply at all times during the event.

**Tyres notes**

<ul style="list-style-type: none"> <li>• Not permitted to switch tyres from their originally allocated position.</li> <li>• Do not subject tyres to large deformation or heavy impact.</li> <li>• Do not leave fitted tyres exposed at an air temperature lower than 10°C and/or any excessive UV emission.</li> <li>• Revised prescriptions could be issued during the race weekend in accordance with TD003.</li> </ul>	<ul style="list-style-type: none"> <li>• Heating time temperature limits apply to the actual tyre surface temperature measured with the IR gun as detailed in the TD003</li> <li>• Cold cooling curve temperature limits apply to the tyre side wall temperature measured with the probe as detailed in TD003</li> <li>• BLANKET HEATING TIME for each temperature range to be counted from the moment the blanket control unit is set to reach its targeted temperature within its correspondent interval.</li> </ul>
---	--

**General notes**

Teams are kindly reminded that the following will be subject to FIA checks during the event:

- Starting pressures
- Cold pressures (according to the cold pressure cooling curves)
- Re-heat pressures
- EOS Camber
- Maximum tyre temperatures and times in blankets
- Tyre swapping