

# **2017 MONACO GRAND PRIX**

From The FIA Formula One Technical Delegate Document 38

To The FIA Stewards of the Meeting Date 28 May 2017

**Time** 12:56

# **Technical Delegate's Report**

The following parts and parameters have been replaced / changed during the Parc Fermé yesterday and today:

## Mercedes:

Car 44: Rear light shroud

Car 77: LHS and RHS front wing TTMS

Four wheel lock mechanism cones

RHS front trackrod

Steering rack

Parameters associated with steering rack change

# Red Bull Racing TAG Heuer:

Car 03: 6 spark plugs

Zero RL pullrod loadcell

# Ferrari:

Car 05: Cylinder #2 pressure sensor

MGU-K geartrain

Parameters associated with cylinder #2 pressure sensor

Car 07: LHS front brake cooling duct

RHS front caliper shroud LHS engine heat shield

#### **Force India Mercedes:**

Car 11: RHS front brake wear sensor

Zero brake wear sensor

Car 31: Hub acceleration sensor

Zero front brake wear and steering sensors

#### Williams Mercedes:

Car 18: Steering rack

Front brake calipers

Parameters associated with steering rack and front brake caliper changes

## McLaren Honda:

Car 22: Floor

Car 02: Front corner assembly

Rear corner assembly

Floor

RHS barge board

Sidepod

Front wing / nose assembly

Rear wing assembly

Mid deflector

Slip sensor assembly

RHS rear brake scoop

Oil radiator incl. pipes

Steering rack

Steering column

RHS front bellcrank

Headrest

Front corner dampers

Front tri damper

Steering wheel

Front and rear brake friction material

Bib torsion bar

Wastegate actuator

Parameters associated with steering rack, steering column, brake material and wastegate changes

#### **Toro Rosso:**

Car 26: LHS rear inner brake wear sensor

MGU-K shaft

Zero Brake wear sensor

Car 55: MGU-K shaft

#### Haas Ferrari:

Car 08: Cylinder #3 pressure sensor

Parameters associated with cylinder #3 pressure sensor

#### Renault:

Car 27: Upper bib panel

Gearbox oil filter

Car 30: Wastegate

LHS drive shaft

LHS rear top wishbone LHS rear lower whishbone

LHS rear track rod

LHS rear upright assembly

LHS rear pullrod

Floor

LHS and RHS rear outer brake caliper temperature sensors

Parameters associated with wastegate change

## Sauber Ferrari:

Car 09: LHS rear wing end plate

LHS front brake duct vertical vane

Gearbox

Rear suspension assembly

Front brake calipers

Front brake caliper sensors

Parameters associated with gearbox change

Car 94: LHS rear HIU box

LHS rear HIU loom

Parameters associated with LHS rear wheel speed sensor

All above parts have been replaced with the approval of the FIA technical delegate following a written request from the team concerned, this being in accordance with Article 34.2 of the 2017 Formula One Sporting Regulations.

Jo Bauer

The FIA Formula One Technical Delegate