



# 2017 AUSTRALIAN GRAND PRIX

---

|             |  |                 |               |
|-------------|--|-----------------|---------------|
| <b>From</b> | The FIA Formula One Technical Delegate | <b>Document</b> | 37            |
| <b>To</b>   | The FIA Stewards of the Meeting        | <b>Date</b>     | 26 March 2017 |
|             |  | <b>Time</b>     | 14:55         |

---

## Technical Delegate's Report

The following parts/parameters have been replaced/changed during the Parc Fermé yesterday and today:

### Mercedes:

Car 44: TTMS mirror glass  
Bib  
LHS and RHS anti peel rivets in fwd bargeboards  
Steering column

### Red Bull Racing TAG Heuer:

Car 03: Gearbox  
LHS and RHS rear outboard suspension members  
Mounting pylon  
LHS and RHS rear uprights  
LHS and RHS rear brake calipers  
LHS and RHS rear brake friction material  
LHS and RHS rear brake drums  
Rear inboard suspension including rockers, dampers, springs, VRH and HRD  
Gearbox hydraulic system  
Floor  
Rear wing assembly  
Engine cover  
Front wing / nose assembly  
Chassis flipper  
Wastegate  
Wastegate tailpipe  
LHS and RHS front brake duct wraparounds  
Wastegate sensor calibration parameters

Parameters associated with rear end replacement

Car 33: Oil tank cross tube O-ring  
LHS front wing gurney  
Lambda sensor  
Lambda sensor calibration parameters

**Ferrari:**

Car 05: QD on fuel tank reservoir

Car 07: LHS rear brake duct anchor nut  
Plank  
LHS front tyre pressure sensor

**Force India Mercedes:**

Car 31: LHS front brake caliper QD

**Williams Mercedes:**

Car 19: Thread inserts in engine for floor fixation

**McLaren Honda:**

Car 14: Clutch battery  
Gearbox control unit

Car 02: Clutch battery  
Mainshaft 2 sensor

**Toro Rosso:**

Car 26: Gearbox oil pipe wiggins  
LHS upper bargeboard fixing stay  
Driver's drink system filters  
Rainlight AV grommets

Car 55: Axial containment vessel fastener  
Driver's drink system filters

## Rainlight AV grommets

### Haas Ferrari:

- Car 08: LHS floor window  
Heatshield foam  
Cylinder #1 pressure sensor  
Cylinder #1 pressure sensor calibration parameters
  
- Car 20: Floor  
T-tray  
LHS bargeboard stay  
Central floor mounting bracket  
LHS floor mounting bracket  
Fwd plank section  
HV cable and chassis loom protection cover  
Pressure tap pipe on floor

### Renault:

- Car 27: LHS and RHS rear drum shrouds  
RHS rear drum seal  
Oil pipe mounting bracket foam  
Hydraulic pump AV mount
  
- Car 30: RHS front brake caliper inner LVDT  
LHS mirror wing  
LHS rear brake temperature sensor  
Fwd floor panel  
LHS rear brake caliper

### Sauber Ferrari:

- Car 09: AC-AC temperature sensor O-ring

All above parts have been replaced with the approval of the FIA technical delegate following a written request from the team concerned, this being in accordance with Article 34.2 of the 2017 Formula One Sporting Regulations.

**Jo Bauer**

**The FIA Formula One Technical Delegate**