



FEDERATION INTERNATIONALE DE L'AUTOMOBILE

Homologation N°

AH.010.19-C-ABP

24.06.2026

FICHE DE PRESENTATION DES CASQUES HAUTE PERFORMANCE (NORME FIA 8860-2018) PRESENTATION FORM FOR ADVANCED HELMETS (FIA STANDARD 8860-2018)

1. GENERALITES / GENERAL

101. CONSTRUCTEUR / MANUFACTURER

STILO S.R.L.

- a) Adresse
Address VIALE MAJNO 45, 20122 MILANO (MI) ITALY
- b) Téléphone
Phone +39 035690040
- c) E-mail
E-mail INFO@STILO.IT

102. DATE DE LA FICHE DE PRESENTATION / PRESENTATION FORM DATE

Date / Date 31-05-2019

103. PHOTO DU CASQUE / PICTURE OF THE HELMET



104. MODELE ET VERSIONS / MODEL AND VERSIONS

- a) Modèle
Model ST5 8860 ABP
- b) Type de casque
Type of helmet Intégral / Full-face
- c) Avec protection balistique avancée
With advanced ballistic protection Oui / Yes
- d) Versions disponibles
Available versions

Nom ST5 F 8860
Name ST5 GT 8860

Description WITH INTEGRATED PLUGS
Description

A1)



Nom ST5 NF 8860
Name ST5 NGT 8860

Description WITHOUT INTEGRATED
Description PLUGS

B1)



Nom ST5 R 8860
Name ST5 NR 8860

Description WITH WIDER EYEPORT.
Description WITH OR W/O
INTEGRATED PLUGS

C1)



Marque
Make

STILO

Modèle
Model

ST5 8860 ABP

Homologation N°

AH.010.19-C-ABP

105. TAILLES DISPONIBLES / SIZES AVAILABLE

Tailles / Sizes

XS54, S55, S56, M57, M58, L59, XL60, XL,61, XL62, XXL63, XXL64

2. DETAILS DU CASQUE / DETAILS OF THE HELMET

201. VUES / VIEWS

D1) Vue de face / Front view




D2) Vue du Côté Droite / Right Side view



D3) Vue de haut / Top view



D4) Etiquette d'homologation / Homologation label



202. NOMBRE ET POSITION DES TROUS DE VENTILATION / NUMBER AND POSITION OF VENTILATION HOLES

Menton Chin		Top Top		Trous pour boire Drinking hole
Nombre de trous Number of holes	8 max	Nombre de trous Number of holes	10 max	Inclus Included
				Oui/Yes

3. ACCESSOIRES DISPONIBLES / AVAILABLE ACCESSORIES

E1) EAR CUPS / EAR PADS / intercoms



E2) Clip earplugs connector



E3) Side port components examples



E4) Peak & shoe visor



E5) Top Air & forced ventilation for CHIN and TOP



E6) Aerodynamics and ventilations



E7) Magnetic top-air connector for short air-cap




E8) Magnetic top-air connector for long air-cap




E9) modular top-air connector 0° with improved assembly system for long air-cap




E10) modular top-air connector 0° with improved assembly system for short air-cap



E11) modular top-air connectors 90° with improved assembly system for short air-cap



E12) modular top-air connector 0° with improved assembly system for long air-cap



Marque
Make

STILO

Modèle
Model

ST5 8860 ABP

Homologation N°

AH.010.19-C-ABP

E13) Magnetic drinking connector



E14)



Marque
Make

STILO

Modèle
Model

ST5 8860 ABP

Homologation N°


AH.010.19-C-ABP

INFORMATIONS COMPLEMENTAIRES / COMPLEMENTARY INFORMATION


Helmet skirt & Chin flap




Chin strap – 2 versions available



OPTIONAL VENTILATION HOLES – TOP and CHIN BAR



15 The helmet can be produced with (all/partially) or without top holes.



15 optional holes

Marque
Make

STILO

Modèle
Model

ST5 8860 ABP

Homologation N°

AH.010.19-C-ABP

Helmet Camera DE GEN2.5LW

