



FEDERATION INTERNATIONALE DE L'AUTOMOBILE

Homologation N°

AH.027.23-C-ABP

FICHE DE PRESENTATION DES CASQUES HAUTE PERFORMANCE (NORME FIA 8860-2018) PRESENTATION FORM FOR ADVANCED HELMETS (FIA STANDARD 8860-2018)

1. GENERALITES / GENERAL

101. CONSTRUCTEUR / MANUFACTURER

STILO S.R.L.

- a) Adresse
Address **VIALE MAJNO 45 - 20122 MILANO ITALY**
- b) Téléphone
Phone **+39 035 690 040**
- c) E-mail
E-mail **INFO@STILO.IT**

102. DATE DE LA FICHE DE PRESENTATION / PRESENTATION FORM DATE

Date / Date **05/12/2023**

103. PHOTO DU CASQUE / PICTURE OF THE HELMET



104. MODELE ET VERSIONS / MODEL AND VERSIONS

- a) Modèle
Model **ST5 8860 ZERO M ABP**
- b) Type de casque
Type of helmet **Intégral / Full-face**
- c) Avec protection balistique avancée
With advanced ballistic protection **Oui / Yes**
- d) Versions disponibles
Available versions

Nom
Name **ST5 F/GT 8860 ZERO M ABP**

Description
Description **HELMET WITH WITH OR
WITHOUT INTEGRATED
PLUGS.**

A1)



Nom
Name **ST5 FN/NGT 8860 ZERO M
ABP**

Description
Description **HELMET WITH SIDE PORT,
WITH OR WITHOUT
INTEGRATED PLUGS**


B1)



Nom
Name

Description
Description

C1)



Marque
Make

STILO

Modèle
Model

ST5 8860 ZERO M ABP

Homologation N°

AH.027.23-C-ABP

105. TAILLES DISPONIBLES / SIZES AVAILABLE

Tailles / Sizes

XL60, XL61

2. DETAILS DU CASQUE / DETAILS OF THE HELMET

201. VUES / VIEWS

D1) Vue de face / Front view




D2) Vue du Côté Droite / Right Side view



D3) Vue de haut / Top view



D4) Etiquette d'homologation / Homologation label



202. NOMBRE ET POSITION DES TROUS DE VENTILATION / NUMBER AND POSITION OF VENTILATION HOLES

Menton Chin		Top Top		Trous pour boire Drinking hole
Nombre de trous Number of holes	6	Nombre de trous Number of holes	08 max	Inclus Included
				Oui/Yes

3. ACCESSOIRES DISPONIBLES / AVAILABLE ACCESSORIES

E1) EAR CUPS INTERCOMS



E2) Clip earplugs connector



E3) Side port components



E4) PEAK and SHORT VISOR



E5) TOP-AIR and forced ventilation for CHIN and TOP



E6) AERODINAMIC VENTILATIONS



E7) Magnetic top-air connector for short air-cap




E8) Magnetic top-air connector for long air-cap




E9) modular top-air connectors 90° with improved assembly system for short air-cap and long air-cap



E10) modular top-air connector 0° with improved assembly system for long air-cap



E11) modular top-air connector 0° with improved assembly system for short air-cap



E12) Magnetic drinking connector



INFORMATIONS COMPLEMENTAIRES / COMPLEMENTARY INFORMATION

Helmet skirt & Chin flap



Chin bar – ventilation holes are OPTIONAL

