

# **2013 UNITED STATES GRAND PRIX**

From The FIA Formula 1 Technical Delegate Document 45

To All Teams, All Officials Date 17 November 2013

**Time** 11:55

# **Technical Report**

The following parts have been replaced during the Parc Fermé yesterday and today:

### **Red Bull Racing Renault:**

Car 01: RHS rear lower wishbone

RHS rear upright/driveshaft assembly

RHS rear wishbone loom

RHS rear wheel speed sensor

RHS rear HIU

Gearbox loom

Longitudinal gearbox oil system shuttle valve

Plank

Skids

Car 02: Front and rear brake friction material

Ferrari:

Car 04: RHS front wheel speed pick up sensor

## McLaren Mercedes:

Car 05: RHS rear exhaust panel

LHS front outer brake drum

Car 06: Steering wheel

Steering column

Steering rack

Parameters for steering rack and column change

LHS rear brake calliper

LHS rear brake calliper thermocouple

#### **Lotus Renault:**

Car 07: Clutch temperature sensor

Parameters for clutch temperature sensor change

Protective sleeving on LHS exhaust gas temperature sensor

LHS rear drum shroud KERS battery pack

KCU assembly

Parameters for KERS pack change

Car 08: PAS rack assembly

Parameters for PAS rack change

#### Mercedes:

Car 09: LHS and RHS Coanda channel

Car 10: LHS and RHS Coanda channel

RHS rear brake duct drum

#### Sauber Ferrari:

Car 12: Seals on gas bottle of rear suspension heave spring system

#### **Force India Mercedes:**

Car 14: Tridair receptacles on bodywork

LHS rear brake duct barrel

Car 15: Front brake friction material

RHS brake duct components
Rain light AV mount bobbin
RHS rear wheel nut retainer

#### Toro Rosso Ferrari:

Car 18: LHS rear brake drum sealing

Car 19: Floor pressure sensor

#### **Caterham Renault:**

Car 21: Gearbox loom

Parameters for gear barrel potentiometer change

#### **Marussia Cosworth:**

Car 22: Engine throttle bodies

Parameters for change of engine throttle bodies

1<sup>st</sup>, 2<sup>nd</sup> and 6<sup>th</sup> gear ratio pair

Gearbox oil filters

Car 23: RHS rear anti-roll bar drop link

Circlip on the LHS rear anti-roll bar drop link

LHS front outboard brake wear LVDT RHS front inner brake wear LVDT

All above parts have been replaced with the approval of the FIA technical delegate following a written request from the team concerned, this being in accordance with Article 34.1 of the 2013 Formula One Sporting Regulations.

#### Jo Bauer

The FIA Formula 1 Technical Delegate