










LISTE DES CASQUES APPROUVES SELON LA NORME FIA 8859-2015
LIST OF APPROVED HELMETS ACCORDING TO FIA STANDARD 8859-2015


LISTE TECHNIQUE N° 49 / TECHNICAL LIST N° 49









| | |
|---|--|
|  | In compliance with: FIA Standard 8859-2015 |
| | Manufacturer Name: Name of Manufacturer |
| AP 000 01 | Serial N°: xxx xxx |
| Model | Model Name |
| Homologation N° | : PH.XXX.XX-X |
| Date of Manufacture: JAN 2015 | Size: XS |








 [EN CLIQUANT ICI, VOUS POUVEZ TELECHARGER TOUTES LES FICHES DE PRESENTATION](#)
 [IF YOU CLICK HERE, YOU CAN DOWNLOAD ALL THE PRESENTATION FORMS](#)

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|---|-------------|---------------------------|------------------------------------|---|------------|
|  | PH.001.15-C | STILO | ST5 Carbon (R, NR) | XS (54) S (55-56) M (57-58) L (59) | 02.02.15 |
|  | | | ST5 Carbon (W, NW) | XL (60-62) XXL (63-64) | 10.07.15 |
|  | | | ST5 Carbon (F or GT, NF or NGT) | | |
|  | PH.002.15-O | STILO | WRC DES (N) | XS (54) S (55-56) M (57-58) | 10.07.15 |
|  | | | TROPHY DES (N) | L (59) | 28.09.15 |
| | | | | | XL (60-61) |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|---|-------------|---------------------------|-----------------------|---|----------|
|  | PH.003.15-O | STILO | Carbon Piuma DES (N) | XS (54) S (55-56) M (57-58) | 28.09.15 |
|  | | | Trophy Carbon DES (N) | L (59) XL (60-61) | 10.07.15 |
|  | PH.004.15-C | ARAI | GP-6 | XS (54) S (55-56) M (57-58) L (59) | 16.07.15 |
| | | | | XL(60-61) | 17.02.16 |
|  | PH.005.15-O | ARAI | GP-J3 | XS (54) S (55-56) M (57-58) L (59) | 16.07.15 |
| | | | | XL(60-61) | 09.12.15 |
| | | | | XXL (62-63) XXXL (64-65) | 17.02.16 |
|  | PH.006.15-C | ARAI | GP-5W | XS (54) S (55-56) M (57-58) L (59) | 16.07.15 |
|  | | | GP-5WP | XL (60-61) | 12.07.16 |
|  | PH.007.15-C | ARAI | GP-6S | XS (54) S (55-56) M (57-58) L (59) | 12.08.15 |
| | | | | XL(60-61) | 17.02.16 |
|  | PH.008.15-C | BELL | RS7 carbon | 57 58 59 60 61 61+ | 18.08.15 |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|---|-------------|---------------------------|------------------------------------|---|----------|
|  | PH.009.15-C | BELL | RS7 | 57 58 59 | 18.08.15 |
| | | | | 60 61 61+ | 03.09.15 |
|  | PH.010.15-O | BELL | MAG-1 | 57 58 59 60 61 61+ | 16.09.15 |
|   | PH.011.15-C | BELL | GT5 Touring | 57 58 59 60 61 61+ | 17.09.15 |
| | | | GT5 Rally | | |
|    | PH.012.15-C | STILO | ST5 COMPOSITE (R, NR) | XS (54) S (55-56) M (57-58) L (59) | 28.09.15 |
| | | | ST5 COMPOSITE (W, NW) | | |
| | | | ST5 COMPOSITE (F or GT, NF or NGT) | XL (60-61) | 16.11.15 |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|--|-------------|---------------------------|------------------------------|---|----------|
|  | PH.013.15-C | BELL | RS7 carbon* | 54 55 56 | 05.09.17 |
| | | | | 57 58 59 60 61 61+ | 01.10.15 |
|  | PH.014.15-O | BELL | MAG-1* | 57 58 59 60 61 61+ | 01.10.15 |
|  | PH.015.15-O | ORECA-STORE ORECA | Jet-RS | 54 55-56 57-58 59 60-61 | 14.12.15 |
|  | PH.016.16-C | BELL | RS7 * | 54 55 56 | 10.05.17 |
| | | | | 57 58 59 60 61 61+ | 11.01.16 |
|   | PH.017.16-C | VM SAFETY | SIMPSON VENATOR COMPOSITE | XS-54 S-56 M-58 ML-59 L-60 XL-61 XXL-62 | 14.01.16 |
|   | PH.018.16-C | VM SAFETY | SIMPSON VENATOR CARBON | XS-54 S-56 M-58 ML-59 L-60 XL-61 XXL-62 | 26.01.16 |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|--|-------------|---------------------------|-----------------|---|----------|
|  | PH.019.16-C | STAND 21 | IVOS | 57 58 59 | 08.02.16 |
| | | | | 60 61 | 03.05.17 |
|   | PH.020.16-C | BELL | GT5 Touring* | 57 58 59 60 61 61+ | 10.02.16 |
| | | | GT5 Rally* | | |
|  | PH.021.16-C | BELL | R1 | 57 58 59 60 61 61+ | 22.03.16 |
|  | PH.022.16-C | BELL | GP.3 CARBON | 57- 57 58 59 59+ 60 61 61+ | 13.04.16 |
|  | PH.023.16-C | BELL | GTX.3 CARBON | 57- 57 58 59 59+ 60 61 61+ | 02.05.16 |
|  | PH.024.16-C | BELL | M.8 CARBON | 57- 57 58 59 59+ 60 61 61+ | 02.05.16 |
|  | PH.025.16-C | BELL | SPORT-5 | 57 58 59 60 61 61+ | 11.05.16 |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|---|-------------|---------------------------|--|---|----------|
|  | PH.026.16-C | SIMPSON | CARBON BANDIT | XS (52-54) S (56) M (58) L (60) XL (61) | 17.05.16 |
|  | PH.027.16-C | SIMPSON | DEVIL RAY | XS (52-54) S (56) M (58) L (60) XL (61) | 17.05.16 |
|  | PH.028.16-C | SIMPSON | BANDIT | XS (52-54) S (56) M (58) L (60) XL (61) | 17.05.16 |
|  | PH.029.16-C | BELL | GP.3 | 57 58 59 60 61 61+ | 09.06.16 |
|  | PH.030.16-O | ARAI | GP-J3F | XL (60-61) | 10.06.16 |
|  | PH.031.16-C | STILO | SFF4 COMPOSITE FORMULA (with visor) | XS (54) S (55-56) M (57-58) | 10.06.16 |
|  | | | SFF4 COMPOSITE GT (with peak) | | |
|  | | | SFF4 COMPOSITE WIDE & RALLY (with peak and wide eyeport) | L (59) XL (60-61) | 21.06.16 |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|---|-------------|--|----------------------|---|----------|
|  | PH.032.16-C | ROUX RACING | R-1CF | S (55-56) M (57-58) L (58-59) L (59-60) XL (61-62) XXL (62-63) | 15.06.16 |
|  | PH.033.16-C | ROUX RACING | R-1C | S (55-56) M (57-58) L (58-59) | 15.06.16 |
| | | | | L (57-58) L(59-60) XL(61-62) XXL(62-63) | 26.09.16 |
|  | PH.034.16-O | STAND 21 | IVOS OPEN | 57 58 59 | 16.06.16 |
| | | | | 60 61 | 01.03.17 |
|  | PH.035.16-C | ORECA-STORE ORECA | Full-RS (Formula) | XS (54) S (55-56) M (57-58) L (59) XL (60-61) | 24.06.16 |
|  | | | Full-RS (GT) | | |
|  | PH.036.16-C | VM SAFETY | SPARCO SKY RF-7W | XS-54 S-56 M-57 ML-59 L-60 XL-61 XXL-63 | 29.06.16 |
|  | PH.037.16-C | VM SAFETY | SPARCO AIR RF-5W | XS-54 S-56 M-57 ML-59 L-60 XL-61 XXL-63 | 29.06.16 |
|  | PH.038.16-C | BEIJING RODIA SPORTS MANUFACTURE (BRSM) | FC-F1 | XS (53-54) S (55-56) M (57-58) L (59) L (59-60) XL (61-62) XXL (63) | 29.06.16 |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|---|-------------|--|----------------------|---|----------|
|  | PH.039.16-C | BEIJING RODIA SPORTS MANUFACTURE (BRSM) | FF-S23 | XS (53-54) S (55-56) M (57-58) L (59) L (59-60) XL (61-62) XXL (63) | 29.06.16 |
|  | PH.040.16-O | BEIJING RODIA SPORTS MANUFACTURE (BRSM) | OF-S1 | XS (53-54) S (55-56) M (57-58) L (59) L (59-60) XL (61-62) XXL (63) | 29.06.16 |
|  | PH.041.16-O | VM SAFETY | SPARCO SKY RJ-7 | XS-54 S-56 M-57 ML-59 L-60 XL-61 XXL-63 | 09.08.16 |
|  | | | SPARCO SKY RJ-7i | | |
|  | PH.042.16-O | VM SAFETY | SPARCO PRO RJ-3 | XS-54 S-56 M-57 ML-59 | 10.08.16 |
|  | | | SPARCO PRO RJ-3i | | |
|  | | | SPARCO PRO RJ-3i AIR | L-60 XL-61 XXL-63 | 16.09.16 |
|  | PH.043.16-C | BEIJING RODIA SPORTS MANUFACTURE (BRSM) | FF-S4 | XS (53-54) S (55-56) M (57-58) L (59) L (59-60) XL (61-62) XXL (63) | 12.08.16 |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|--|-------------|---|--------------------|--|------------|
|  | PH.044.16-O | SIMPSON | SIMPSON RALLY | XS (54) S (55-56) M (57-58) | 02.09.16 |
| | | | | L (59) | 05.10.16 |
| | | | | XL (60-61) | 10.11.16 |
|  | PH.045.16-C | Beijing Shenzhou Rodia Industry & Trade Co., Ltd | BF1-750 | XS (54) S (55-56) M (57-58) L (58-59) XL (60-61) | 05.09.2016 |
|  | PH.046.16-C | BELL | GTX.3 | 57 58 59 60 61 61+ | 16.09.2016 |
|  | PH.047.16-C | BEIJING RODIA SPORTS MANUFACTURE (BRSM) | FF-C9 | XS (53-54) S (55-56) M (57-58) L (59-60) XL (61-62) XXL (63-64) | 27.09.2016 |
|  | PH.048.16-C | BEIJING RODIA SPORTS MANUFACTURE (BRSM) | FF-C7 | XS (53-54) S (55-56) M (57-58) L (59-60) XL (61-62) XXL (63) | 10.10.2016 |
|  | PH.049.16-C | BEIJING RODIA SPORTS MANUFACTURE (BRSM) | FF-S8A | XS (53-54) S (55-56) M (57-58) | 23.11.2016 |
| | | | | L (59-60) XL (61-62) XXL (63) | 10.10.2016 |
|   | PH.050.16-O | BELL | MAG-9 CARBON | 57 58 59 60 61 61+ | 27.10.2016 |
| | | | MAG-9 RALLY CARBON | | |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|---|-------------|---|------------------------------|---|------------|
|  | PH.051.16-C | STILO | ST5 COMPOSITE MSF (R, NR) | XL (60-61) XXL (63-64) | 02.11.2016 |
| ST5 COMPOSITE MSF (W, NW) | | | | | |
| ST5 COMPOSITE MSF (F or GT, NF or NGT) | | | | | |
|  | PH.052.16-C | Z-SPORTS | RZ-44C | XS (53-54) S (55-56) M (57-58) L (59-60) XL (61-62) XXL (63) | 30.11.2016 |
|  | PH.053.16-O | BELL | MAG-9 | 57 58 59 60 61 61+ | 15.12.2016 |
| MAG-9 RALLY | | | | | |
|  | PH.054.17-O | Beijing Shenzhou Rodia Industry & Trade Co., Ltd | BF1-R7 | XS (54) S (55-56) M (57-58) L (58-59) XL (60-61) | 06.01.2017 |
| BF1-R7i | | | | | |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|---|-------------|--|---|--|------------|
|  | PH.055.17-C | BEIJING RODIA SPORTS MANUFACTURE (BRSM) | GEM | XS (53-54) S (55-56) M (57-58) L (59-60) XL (61-62) XXL (63-64) | 19.01.2017 |
|  | PH.056.17-C | Z-SPORTS | RZ-35E | XS (53-54) S (55-56) M (57-58) L (59-60) XL (61-62) XXL (63) | 26.01.2017 |
|  | PH.057.17-O | STILO | SOF4 COMPOSITE | XS (54) S (55-56) M (57-58) L (59) XL (60-61) | 06.02.2017 |
|  | PH.058.17-O | STILO | WRC DES MSF (N) TROPHY DES MSF (N) | XL (60-61) XXL (63-64) | 15.02.2017 |
|  | PH.059.17-O | FLB | GT2i PRO | XS (54) S (55-56) M (57-58) L (59) XL (60-61) | 09.03.2017 |
|  | PH.060.17-C | NINGBO HD POWERSPORTS SAFETY PRODUCTS (NHDPSP) | HD128.F | XS (54-55) S (56-57) M (58-59) L (60-61) XL (62-63) XXL(64-65) | 10.03.2017 |
|  | PH.061.17-O | RRS (RALLY RACING SPORT) | PROTECT JET | XS (53-54) S (55-56) M (57-58) L (59-60) XL (61-62) XXL (63) | 12.04.2017 |

| Photo | N° Homol. | Fabricant Manufacturer | Modèle Model | Tailles Sizes | Date |
|---|-------------|--|------------------------------------|---|------------|
|  | PH.062.17-C | RRS (RALLY RACING SPORT) | PROTECT INTEGRAL | XS (53-54) S (55-56) M (57-58) L (59-60) XL (61-62) XXL (63) | 12.04.2017 |
|  | PH.063.17-C | TAIWAN RACING PRODUCTS Co., Ltd. (TRP Co., Ltd) | RHT-100 | XS (54) S (55-56) M (57-58) L (59) | 22.05.2017 |
|  | PH.064.17-O | NINGBO HD POWERSPORTS SAFETY PRODUCTS (NHDPS) | HD315.F | XS (54-55) S (56-57) M (58-59) L (60-61) XL (62-63) XXL(64-65) | 16.06.2017 |
|  | PH.065.17-C | OMP | GP8 | XS (54-55) S (56-57) M (58-59) L (60-61) XL (62-63) XXL(64-65) | 30.06.2017 |
|  | PH.066.18-C | BELL | GT5 CARBON GT5 RALLY CARBON | 57- 57 58 59 59+ 60 61 61+ | 15.06.2018 |
|  | PH.067.18-C | OMP | GP8 EVO | XS (54-55) S (56-57) M (58-59) L (60-61) XL (62-63) XXL(64-65) | 19.06.2018 |