



## LISTE TECHNIQUE FIA N° 8 / FIA TECHNICAL LIST N° 8

**CONVERTISSEURS CATALYTIQUES HOMOLOGUES PAR LES ASN**  
**CATALYTIC CONVERTERS HOMOLOGATED BY THE ASNs**

**GEREE PAR LE DEPARTEMENT TECHNIQUE DE LA FIA / MANAGED BY THE FIA TECHNICAL DEPARTMENT**

**Les copies des fiches d'homologation sont disponibles  
auprès des ASN**

**Copies of the homologation forms are available from the  
ASNs**

Fabricant <i>Manufacturer</i> (ASN)	Marquage <i>Marking</i>	Date	Information / <i>Information</i>	
			Cylindrée / <i>Cyl. cap.</i>	Type de voiture / <i>Type of car</i>
<b>AM Group Redback</b> (SBF)	SBF KAT 08-22	08.2008	max. 4000 cm <sup>3</sup>	
	SBF KAT 09-23	11.2009	max. 4000 cm <sup>3</sup>	
<b>AUDI AG</b> (DMSB)	2/1412C-10	03.1995		ST
	2/7612C-10	03.1995		ST
	2/7622C-10	02.1996		ST
	2/1012C-10	03.1995		ST
	2/1013C-10	04.1997		ST
	2/1014C-10	06.1997		ST
<b>AUDI SPORT</b> (DMSB)	2/1428C-10			Audi 80 (ST)
	2/1512C-10			Audi 80 (ST)
<b>ALFA ROMEO</b> (ACI Sport)	CAT 001 - CSAI	06.1998	max. 2000 cm <sup>3</sup>	Alfa Romeo 156 (M.Y. 1997)
<b>BMW AG</b> (DMSB)	DMSB B 1054-10-PE	03.2006	max. 2000 cm <sup>3</sup> 2 pieces in //	<i>BMW group engines</i>
	DMSB B2/2790-10-PE 5	07.2006	max. 5000 cm <sup>3</sup> 2 pieces in //	<i>BMW group engines</i>
	DMSB B 1052-10 S	03.2010	max. 4000 cm <sup>3</sup> 2 pieces in //	<i>BMW group engines</i>
<b>BMW M GMBH</b> (DMSB)	2/9074-10			BMW 318i E36/4 ST
	2/1059-10			BMW 318i E36/4 ST
	2/1590-10	03.1995		BMW 320i E36/4 ST
	2/1592-10	10.1995		BMW 320i E36/4 ST
	2 /1593-10	02.1996		ST
	DMSB B1054-10 ETCC	04.2003	max. 2000 cm <sup>3</sup>	Super 2000
DMSB B1054-10-PE WTCC	03.2005	max. 2000 cm <sup>3</sup> 2 pieces in //	BMW Super 2000	
<b>BRAIN</b> (ACI Sport)	1052-55-01 (CAT 005 CSAI)	04.2001	1300 à/to 1600 cm <sup>3</sup>	
	1052-60-01 (CAT 006 CSAI)	04.2001	1300 à/to 1600 cm <sup>3</sup>	
	1054-55-02 (CAT 007 CSAI)	04.2001	1600 à/to 2000 cm <sup>3</sup>	
	1054-60-02 (CAT 008 CSAI)	04.2001	1600 à/to 2000 cm <sup>3</sup>	
	1054-65-02(CAT 009 CSAI)	04.2001	1600 à/to 2000 cm <sup>3</sup>	
	1054-70-02 (CAT 010 CSAI)	04.2001	1600 à/to 2000 cm <sup>3</sup>	
	0903-50-03 (CAT 011 CSAI)	04.2001	1150 à/to 1300 cm <sup>3</sup>	
	0903-55-03 (CAT 012 CSAI)	04.2001	1150 à/to 1300 cm <sup>3</sup>	
0903-60-03 (CAT 013 CSAI)	04.2001	1150 à/to 1300 cm <sup>3</sup>		

<b>BRAIN</b> (ACI Sport)	1056-60-05 (CAT 014 CSAI)	04.2001	2000 à/to 2500 cm <sup>3</sup>	
	1056-70-05 (CAT 015 CSAI)	04.2001	2000 à/to 2500 cm <sup>3</sup>	
	1056-80-05 (CAT 016 CSAI)	04.2001	2000 à/to 2500 cm <sup>3</sup>	
	1174-60-02 (CAT 021 CSAI)	06.2005	max. 2000 cm <sup>3</sup>	
	1174-70-02 (CAT 022 CSAI)	06.2005	max. 2000 cm <sup>3</sup>	
	1260-70-05 (CAT 025 CSAI)	05.2006	max. 3000 cm <sup>3</sup>	
	1260-60-05 (CAT 026 CSAI)	05.2006	max. 3000 cm <sup>3</sup>	

<b>BTB EXHAUSTS LTD</b> (Motorsport UK)	BTB PROCAT 01 MSA/CAT/004/02	09.2002		Kit Car, World Rally Car, ST cars
	PROCAT 02 MSA/CAT/006/03	05.2003		Mitsubishi Evo 7 + Evo 8 Group N World Rally Car
	PROCAT 03 MSA/CAT/005/03	05.2003		World Rally Car, Kit Car, Super 1600, Group N
	PROCAT 04 MSA/CAT/007/04	11.2004		World Rally Car, Kit Car, Super 1600, Supertouring, Group N

<b>ECOCAT ITALIA SRL</b> (ACI Sport)	ITACA 100/100 (CAT-027 ACI)	12.2017	max. 2800 cm <sup>3</sup>	
	ITACA 108/110 (CAT-028 ACI)	12.2017	max. 2800 cm <sup>3</sup>	
	ITACA 108/130 (CAT-029 ACI)	12.2017	max. 2800 cm <sup>3</sup>	
	ITACA 121/110 (CAT-030 ACI)	12.2017	max. 2800 cm <sup>3</sup>	
	ITACA 121/130 (CAT-031 ACI)	12.2017	max. 2800 cm <sup>3</sup>	
	ITACA 130/100 (CAT-032 ACI)	12.2017	max. 2800 cm <sup>3</sup>	
	ITACA 130/130 (CAT-033 ACI)	12.2017	max. 2800 cm <sup>3</sup>	
	ITACA 140/130 (CAT-034 ACI)	12.2017	max. 2800 cm <sup>3</sup>	

<b>ECOCAT OY</b> (AKK)	84566 FIA EC AKK-CAT-3	11.2004	max. 2000 cm <sup>3</sup>	<i>for 50 to 70 mm diameter exhaust pipe</i>
	84533 FIA EC AKK-CAT-4	11.2004	max. 2500 cm <sup>3</sup>	<i>for 50 to 80 mm diameter exhaust pipe</i>
	84565 FIA EC AKK-CAT-5	11.2004	max. 2500 cm <sup>3</sup>	<i>for 50 to 80 mm diameter exhaust pipe</i>
	86422 FIA EC AKK-CAT-6	04.2007	max. 2500 cm <sup>3</sup>	<i>for 50 to 80 mm diameter exhaust pipe</i>
	86424 FIA EC AKK-CAT-6	04.2007	max. 2500 cm <sup>3</sup>	<i>for 50 to 80 mm diameter exhaust pipe</i>
	86425 FIA EC AKK-CAT-7	04.2007	max. 2500 cm <sup>3</sup>	<i>for 50 to 80 mm diameter exhaust pipe</i>
	86426 FIA EC AKK-CAT-7	04.2007	max. 2500 cm <sup>3</sup>	<i>for 50 to 80 mm diameter exhaust pipe</i>
	86662 FIA EC AKK-CAT-8	04.2007	max. 2500 cm <sup>3</sup>	<i>for 50 to 80 mm diameter exhaust pipe</i>
	86664 FIA EC AKK-CAT-8	04.2007	max. 2500 cm <sup>3</sup>	<i>for 50 to 80 mm diameter exhaust pipe</i>

<b>ERNST APPARATEBAU</b> (DMSB)	ERNST-NR.987 158 ONS-NR. 1054-55			<i>for 55 mm diameter exhaust pipe</i>
	ERNST-NR.987 141 ONS-NR. 1054-60			<i>for 60 mm diameter exhaust pipe</i>
	ERNST-NR.987 134 ONS-NR. 1054-70			<i>for 70 mm diameter exhaust pipe</i>
	ERNST-NR.987 073 ONS-NR. 0902-50		2 pieces in //	<i>for 50 mm diameter exhaust pipe</i>
	ERNST-NR.987 103 ONS-NR. 0903-50		2 pieces in //	<i>for 50 mm diameter exhaust pipe</i>
	ERNST-NR.987 066 ONS-NR. 0902-55		2 pieces in //	<i>for 55 mm diameter exhaust pipe</i>
	ERNST-NR.987 097 ONS-NR. 0903-55		2 pieces in //	<i>for 55 mm diameter exhaust pipe</i>
	ERNST-NR.987 127 ONS-NR. 1052-55		2 pieces in //	<i>for 55 mm diameter exhaust pipe</i>
	ERNST-NR.987 080 ONS-NR. 0903-60		2 pieces in //	<i>for 60 mm diameter exhaust pipe</i>
	ERNST-NR.987 110 ONS-NR. 1052-60		2 pieces in //	<i>for 60 mm diameter exhaust pipe</i>

<b>FIAT</b> (ACI Sport)	CAT 023 CSAI	03.2006		FIAT Punto Super 2000 Rallye (A5691)
	CAT 024 CSAI	03.2006		FIAT Punto Super 2000 Rallye (A5691)
<b>HJS</b> (DMSB)	DMSB 1052-2 H&B	11.2003	max. 1600 cm <sup>3</sup> max. 2500 cm <sup>3</sup> 2 pieces in //	
	DMSB 1054-2 H&B	09.2003	max. 2000 cm <sup>3</sup>	
	DMSB 1056-2 H&B	11.2003	max. 2500 cm <sup>3</sup> max. 4000 cm <sup>3</sup> 2 pieces in //	
	HJS-90950573 F3 1012/10	03.1995		F3
	HJS-90950575 F3 1312/10			F3
	HJS-90950015 DTC-1054/10	12.1994		DTC / GT / ST / Super Production
	HJS-950922 / ONS-0902-45		over 2000 cm <sup>3</sup> 2 pieces in //	for 50 mm diameter exhaust pipe
	HJS-950923 / ONS-0902-50		over 2000 cm <sup>3</sup> 2 pieces in //	for 55 mm diameter exhaust pipe
	HJS-950932 / ONS-0903-50			for 50 mm diameter exhaust pipe
	HJS-950933 / ONS-0903-55			for 55 mm diameter exhaust pipe
	HJS-951523 / ONS-1052-55		over 2500 cm <sup>3</sup> 2 pieces in //	for 55 mm diameter exhaust pipe
	HJS-951543 / ONS-1054-55		over 2500 cm <sup>3</sup> 2 pieces in //	for 55 mm diameter exhaust pipe
	HJS-950934 / ONS-0903-60			for 60 mm diameter exhaust pipe
	HJS-951524 / ONS-1052-60		over 2500 cm <sup>3</sup> 2 pieces in //	for 60 mm diameter exhaust pipe
	HJS-951544 / ONS-1054-60		over 2500 cm <sup>3</sup> 2 pieces in //	for 60 mm diameter exhaust pipe
	HJS-951546 / ONS-1054-70		over 2500 cm <sup>3</sup> 2 pieces in //	for 70 mm diameter exhaust pipe
	HJS-90950030 / 2/2790-10	08.1995	max. 2000 cm <sup>3</sup>	ST, WRC, Kit Car
	HJS-90950028 2/1090-10	06.1996		PEUGEOT WRC, Kit Car et ST
	HJS-90950025 2/1012-10	07.1997	max. 2000 cm <sup>3</sup>	ST, Super Production
	HJS-951564 / ONS-1056-60	01.1999		
	HJS-951566 / ONS-1056-70	01.1999		
	HJS-951568 / ONS-1056-80	01.1999		
	HJS-951736 / ONS-1273-70	01.1999		
	HJS-951738 / ONS-1273-80	01.1999		
	HJS-90950043 WRC 1012 /10	11.1996		WRC - Kit car - Rallycross Autocross
	HJS-90950044 WRC 1279-10	12.1996	max. 2000 cm <sup>3</sup>	WRC - Kit car - Rallycross Autocross – Groups A N, R3, R4, R5, R-GT
	HJS-90950055 WRC 1112/10	11.1997	max. 2000 cm <sup>3</sup>	WRC - Kit car - Rallycross Autocross – Group N
	RC 9012-10	06.2008	max. 1400 cm <sup>3</sup>	Rallycross Autocross, R1
			max. 1600 cm <sup>3</sup>	DMSB F-2005, DMSB H, E2 ADAC Formula Masters
	HJS-950711 / ONS-0701-45	01.1999		WRC - Kit car - Rallycross Autocross
	HJS-950712 / ONS-0701-50	01.1999		WRC - Kit car - Rallycross Autocross
	HJS-950911 / ONS-0901-45	01.1999		WRC - Kit car - Rallycross Autocross
	HJS-950912 / ONS-0901-50	01.1999		WRC - Kit car - Rallycross Autocross
	HJS-90950058 RC 1090/10			Rallycross Autocross
	VW POLO N 9012-10	01.2001		VW Polo Groupe N 1400 and 1600 cm3 only
	ISSC 1112-10	09.2000	max. 3500 cm <sup>3</sup> 2 pieces in //	
F3 1312/10	05.1999		F3	
WRC 1312/10	03.2003	max. 2000 cm <sup>3</sup>	WRC	
PTK 350/75	04.2003	max. 2000 cm <sup>3</sup>		

HJS (DMSB)	WRC 1277/10	03.2004	max. 2000 cm <sup>3</sup>	WRC
	WRC 1112-10 PE	08.2008	max. 2010 cm <sup>3</sup>	All FIA and DMSB Groups
		03.2011	max. 4010 cm <sup>3</sup> 2 pieces in //	All FIA and DMSB Groups
	F3 1012/10 PE	03.2005		F3
	WRFF 1279/10 PE	08.2005	max. 2000 cm <sup>3</sup>	WRC + Super 2000
	ST 9074-10 PE	06.2008	max. 1200 cm <sup>3</sup>	
			max. 2000 cm <sup>3</sup> 2 pieces in //	WRC + Super 2000
	2/2790-10	12.2005	max. 2000 cm <sup>3</sup>	Group A/N, R3, R4 Super 2000, Kit car, WRC FIA GT, ADAC GT MASTERS
		03.2011	max. 5000 cm <sup>3</sup> 2 pieces in //	
	HJS 2/1012-10PE	06.2006	max. 2000 cm <sup>3</sup>	Group A/N, Super Production, Kit car
			max. 4000 cm <sup>3</sup> 2 pieces in //	Group N-GT, GT2, GT, GT1
	WRC 1279-10PE	08.2008	max. 2000 cm <sup>3</sup>	Group A/N, WRC, R1, R2, R3, R4, R5 Super 2000, R-GT DMSB F-2005, DMSB H
			max. 5000 cm <sup>3</sup> 2 pieces in //	Group A/N, GT1, GT2, GT3 ADAC GT Master,
	SF S2000 1112-10 PE	01.2009	max. 2000 cm <sup>3</sup>	FIA S2000 / S2000 Rally
	GT 1407 – 10 PE	03.2009	max. 2000 cm <sup>3</sup>	Groups A and N, S2000 / S2000 Rally Rallycross
			max. 4000 cm <sup>3</sup> 2 pieces in //2 pieces in //	FIA GT
	S2 1210 – 10 PE	03.2009	max. 2010 cm <sup>3</sup>	All FIA and DMSB Groups
			max. 4010 cm <sup>3</sup> 2 pieces in //	All FIA and DMSB Groups
	HWA F3 1012 / 10 PE	03.2009	max. 2000 cm <sup>3</sup>	F3
	C 1279 – 10 PE	04.2009	max. 2000 cm <sup>3</sup>	Citroën S2000, S2000 Rally, WRC
	S2 1279-10 PE FF	01.2010	max. 2000 cm <sup>3</sup>	Ford Fiesta S2000
	997 1080-10 PE	03.2010	max. 4000 cm <sup>3</sup> 2 pieces in //	Porsche 997R all GT Groups
	HWA GT 1407 – 10 PE	09.2010	max. 6250 cm <sup>3</sup> 2 pieces in //	FIA GT Groups
	T1.6 1279-10	01.2011	max. 1600 cm <sup>3</sup>	For Citroen cars only
	RE GT 1407 / 10	05.2011	max. 3000 cm <sup>3</sup> max. 6000 cm <sup>3</sup> 2 pieces in //	FIA GT
	997 GT3R 1090-10 PE	05.2011	max. 4000 cm <sup>3</sup> 2 pieces in //	Porsche 997R all GT Groups
	COR GT 1410-10 PE	07.2011	max. 7400 cm <sup>3</sup> 2 pieces in //	FIA GT Groups
	T1.6 1277-10	07.2011	max. 1600 cm <sup>3</sup>	All FIA 1.6 t GDi engines
	GT 1407 / 10	07.2011	max. 6000 cm <sup>3</sup> 2 pieces in //	FIA GT
	MM GT 1090 – 10 PE	07.2011	max. 4000 cm <sup>3</sup> 2 pieces in //	FIA GT
	FR 1112 / 10	07.2011	max. 2000 cm <sup>3</sup>	Formula Renault 2.0
	F 458 GT 1407 - 10	08.2011	max. 6000 cm <sup>3</sup> 2 pieces in //	Ferrari F458 GT
	WRC T1.6 1277-10 PE	12.2011	max 1610 cm <sup>3</sup>	Citroen WRC
	T1.6 9074-10	02.2012	max 1610 cm <sup>3</sup> 2 pieces in //	FIA R2, R3, R4, R5 FIA S2000R/WRC, FIA WTCC
HWA01-F3 1012/10-PE	02.2012	max. 2000 cm <sup>3</sup>	F3	
F3 1210-10	04.2012	max. 2000 cm <sup>3</sup>	F3	
CAM 1410-10 PE	04.2012	max. 7910 cm <sup>3</sup> 2 pieces in //	Chevrolet Camaro GT3-033	
PD 1407-10	05.2012	max. 6010 cm <sup>3</sup> 2 pieces in //	Aston Martin GT3-032	
FF 1.6 1277-10	08.2012	max 1620 cm <sup>3</sup>	FIA R5, S2000R/WRC, FIA WTCC	
LIS 1279-10	10.2012	max. 5000 cm <sup>3</sup> 2 pieces in //	Toyota Lexus IS-F	

<b>HJS (DMSB)</b>	R 9012-10	12.2012	max 1610 cm <sup>3</sup> max 3610 cm <sup>3</sup> 2 pieces in //	All FIA and DMSB Groups
	RCC 1112-10	01.2013	max 2010 cm <sup>3</sup>	Group R and Renault Clio Cup
	TY 1012-10	03.2013	max 1610 cm <sup>3</sup>	Toyota Yaris R1 and R2
	AU01 1407-10 PE	03.2013	max. 6010 cm <sup>3</sup> 2 pieces in //	FIA GT
	RT 1277-10	04.2013	max 1610 cm <sup>3</sup>	FIA R1, R2, R3 FIA S2000R/WRC, FIA WTCC
	P911C 1212-10 PE	11.2013		
	WTCC T1.6 1277-10	03.2014		
	DMSB-CAT-1-1/14	03.2014		
	DMSB-CAT-1-2/14	04.2014	max 2010 cm <sup>3</sup>	F3
	DMSB-CAT-1-3/14	05.2014	max. 3010 cm <sup>3</sup>	All FIA and DMSB Groups
			max. 6010 cm <sup>3</sup> 2 pieces in //	
	DMSB-CAT-1-4/14	09.2014	max 4010 cm <sup>3</sup> 2 pieces	For Porsche only
	DMSB-CAT-1-5/14	08.2014	max 1620 cm <sup>3</sup>	Group R5
	DMSB-CAT-1-6/15	03.2015	max 4010 cm <sup>3</sup> 2 pieces	For Porsche only All FIA and DMSB Groups
			max 6010 cm <sup>3</sup> 2 pieces	For Audi and Lamborghini only All FIA and DMSB Groups
	DMSB-CAT-1-7/15	03.2015	max 6010 cm <sup>3</sup> 2 pieces	For Audi R8 and Lamborghini only All FIA and DMSB Groups
	DMSB-CAT-1-8/15	03.2015	max 6010 cm <sup>3</sup> 2 pieces	For Audi R8 and Lamborghini only All FIA and DMSB Groups
	DMSB-CAT-1-9/15	11.2015	max 3810 cm <sup>3</sup> 2 pieces	For Porsche GT4 only All FIA and DMSB Groups
	DMSB-CAT-1-10/15	06.2015	max. 3010 cm <sup>3</sup> 2 pieces in //	FIA Group T1
	DMSB-CAT-1-11/15	11.2015	max. 4410 cm <sup>3</sup> 2 pieces in //	For BMW engines only All FIA and DMSB Groups
	DMSB-CAT-1-12/15	12.2015	max. 6220 cm <sup>3</sup> 2 pieces in //	For Mercedes engines only All FIA and DMSB Groups
	DMSB-CAT-1-15/15	06.2015	max. 2010 cm <sup>3</sup>	All FIA and DMSB Groups
	DMSB-CAT-1-13/16	02.2016	max. 6260 cm <sup>3</sup> 2 pieces in //	All FIA and DMSB Groups
	DMSB-CAT-1-16/16	02.2016	max. 2010 cm <sup>3</sup>	All FIA and DMSB Groups (Citroen and Peugeot only)
	DMSB-CAT-1-17/16	02.2016	max. 2010 cm <sup>3</sup> 2 pieces in //	For Volkswagen Group engines only All FIA and DMSB Groups
	DMSB-CAT-1-18/16	04.2016	max. 2010 cm <sup>3</sup>	All FIA and DMSB Groups
	DMSB-CAT-1-19/16	12.2016	max. 1610 cm <sup>3</sup>	Toyota WRC
	DMSB-CAT-1-20/16	01.2017	max. 3010 cm <sup>3</sup>	All FIA and DMSB Groups
			max. 6010 cm <sup>3</sup> 2 pieces in //	
	DMSB-CAT-1-14/17	04.2017	max. 4010 cm <sup>3</sup> 2 pieces in //	Mercedes engines All FIA and DMSB Groups
	DMSB-CAT-1-22/17	11.2017	max. 6010 cm <sup>3</sup> 2 pieces in //	All FIA GT and DMSB Groups
	DMSB-CAT-1-23/17	04.2017	max. 2010 cm <sup>3</sup>	VW Group Cars and engines All FIA and DMSB Groups
	DMSB-CAT-1-24/17	10.2017	max. 1610 cm <sup>3</sup>	All FIA and DMSB Groups
DMSB-CAT-1-25/17	11.2017	max. 1610 cm <sup>3</sup>	Citroen WRC	
DMSB-CAT-1-26/18	05.2018	max. 4010 cm <sup>3</sup> 2 pieces in //	Porsche only All FIA and DMSB Groups	
		max. 3810 cm <sup>3</sup> 2 pieces	Porsche only All FIA and DMSB Groups	
DMSB-CAT-1-28/18	04.2018	max. 2010 cm <sup>3</sup>	All FIA and DMSB Groups	
DMSB-CAT-1-29/18	03.2019	max. 2010 cm <sup>3</sup>	All FIA and DMSB Groups	
DMSB-CAT-1-30/19	01.2020	max. 3810 cm <sup>3</sup>	Porsche GT4 only All FIA and DMSB Groups	
DMSB-CAT-1-31/20	02.2020	max. 2010 cm <sup>3</sup>	All FIA and DMSB Groups	
DMSB-CAT-1-33/21	11.2021	max. 1600 cm <sup>3</sup>	FIA Rally1	

<b>H S Europé AB</b> (SBF)	Tiger kat 50-181 SBF 06-014	03.2007	max. 2500 cm <sup>3</sup>	
	Tiger kat 75-181 SBF 06-015	03.2007	max. 4000 cm <sup>3</sup>	
<b>JANSPEED</b> (Motorsport UK)	JSRC-001 A MSA-CAT/001/98	01.1999		WRC - Kit car - Rallycross Autocross
	JSRC-002 A MSA-CAT/002/00	01.2000		Max. 200 bhp per catalyst
	JSRC-005 A MSA-CAT/003/01	04.2001		Max. 350 bhp per catalyst
	JSCO-40545-A MSA/CAT/008/11	08.2011		For Mini WRC – S2000 Rally
<b>KEMIRA</b> (AKK)	Kemira 80869 1054-70	06.2000	max. 2000 cm <sup>3</sup>	for 60 or 45 mm diameter exhaust pipe
	83415 FIA KE AKK-CAT-1	03.2003	max. 2500 cm <sup>3</sup>	for 50 to 70 mm diameter exhaust pipe
	83310 FIA KE AKK-CAT-2	03.2003		WRC - Kit car - Rallycross Autocross Touring Cars
<b>KTM AG</b> (DMSB)	DMSB-CAT-2-1/17	08.2017	max. 2010 cm <sup>3</sup>	For KTM X-Bow only All FIA and DMSB Groups
<b>KURT GUTMANN GMBH</b> (DMSB)	ONS GU 0903-55		2 pieces in //	for 55 mm diameter exhaust pipe
	ONS GU 0903-60		2 pieces in //	for 60 mm diameter exhaust pipe
	ONS GU 1054-60	03.1991		for 60 mm diameter exhaust pipe
	ONS GU 1054-70	03.1991		for 70 mm diameter exhaust pipe
	ONS GU 1056-60	03.1991		for 60 mm diameter exhaust pipe
	ONS GU 1056-70	03.1991		for 70 mm diameter exhaust pipe
	2/ 9010 - 10	11.1995		ST
	2/ 9210 - 10	11.1995		ST
	DMSB 2/1020	04.1998		WRC, Kit Car, ST, F3
<b>M-SPORT Poland</b> (PZM)	PZM 1/18 CAT	11.2018	max. 1300 cm <sup>3</sup>	All Groups
	PZM 2/21 CAT	03.2021	max. 1620 cm <sup>3</sup>	FIA Rally5, Rally4, Rally3 Groups
<b>OBERLAND MANGOLD GMBH</b> (DMSB)	OBERLAND >, ONS-NR. 0902-50		2 pieces in //	for 50 mm diameter exhaust pipe
	OBERLAND >, ONS-NR. 0903-50		2 pieces in //	for 50 mm diameter exhaust pipe
	OBERLAND >, ONS-NR. 0902-55		2 pieces in //	for 55 mm diameter exhaust pipe
	OBERLAND >, ONS-NR. 0903-55		2 pieces in //	for 55 mm diameter exhaust pipe
	OBERLAND >, ONS-NR. 1052-55		2 pieces in //	for 55 mm diameter exhaust pipe
	OBERLAND >, ONS-NR. 0903-60		2 pieces in //	for 60 mm diameter exhaust pipe
	OBERLAND >, ONS-NR. 1052-60		2 pieces in //	for 60 mm diameter exhaust pipe
	OBERLAND >, ONS-NR. 1054-60			for 60 mm diameter exhaust pipe
	OBERLAND >, ONS-NR. 1054-70			for 70 mm diameter exhaust pipe
<b>POLYCAR</b> (FFSA)	PCS-GR TECH 014	11.2016	max. 1150 cm <sup>3</sup>	All Groups
<b>RAGAZZON</b> (ACI Sport)	RAGAZZON 540030 (N° CAT 003 CSAI)	04.2001	max. 1500 cm <sup>3</sup>	
	RAGAZZON 540031 (N° CAT 004 CSAI)	04.2001	max. 2500 cm <sup>3</sup>	

<b>REMUS (DMSB)</b>	DMSB 1052-2-10	03.2007	max. 1600 cm <sup>3</sup>	Group A, N, DMSB
			max. 3200 cm <sup>3</sup> 2 pieces in //	Group A, N, DMSB
	DMSB 1054-2-10	03.2007	max. 2000 cm <sup>3</sup>	Group A, N, DMSB
	DMSB 1056-2-10	03.2007	max. 2500 cm <sup>3</sup>	Group A, N, DMSB
			max. 5000 cm <sup>3</sup> 2 pieces in //	Group A, N, DMSB
	R 1012 / 10	02.2007	max. 2000 cm <sup>3</sup>	Group D, Formula 3
R 1112 / 10	03.2007	max. 2000 cm <sup>3</sup>	WRC	

<b>RDM (FFSA)</b>	50321 / RDM 01	11.2015	max. 2000 cm <sup>3</sup>	All Groups
-----------------------	----------------	---------	---------------------------	------------

<b>ROSI (FFSA)</b>	FFSA-001-51141	01.1999		WRC - Kit car
	FFSA-002-51491	04.1999		Kit car
	FFSA-003-50181/95042	04.1999	max. 2000 cm <sup>3</sup>	All Groups
	FFSA-004-50181/95052	04.2015	max. 2000 cm <sup>3</sup>	All Groups
	FFSA-004-080101	03.2001		Group N
	FFSA-005-50321/95032	07.2001	max. 2000 cm <sup>3</sup>	All Groups
	FFSA-006-50181/95062	04.2015	max. 2000 cm <sup>3</sup>	All Groups
	FFSA-007-50291/95002	03.2006	max. 2500 cm <sup>3</sup>	All Groups
	FFSA-008-50321/100062	04.2015	max. 650 cm <sup>3</sup>	All Groups
	FFSA-009-100063	03.2015	max. 5000 cm <sup>3</sup>	All Groups
	FFSA-011-50321/95033	06.2015	max. 2000 cm <sup>3</sup>	All Groups
	FFSA-012-100064	06.2015	max. 5000 cm <sup>3</sup>	All Groups
	FFSA-015-50321/95034	12.2017	max. 2000 cm <sup>3</sup>	All Groups

<b>SUPERSPRINT (ACI Sport)</b>	01260401001 CAT 002 CSAI	01.2001		FIAT Punto Kit Car A-5609
	01260401001 CAT 017 CSAI	03.2002		FIAT Stilo 1.8 16v A/N-5641
	01260401001 CAT 018 CSAI	03.2002		FIAT Punto HGT 1.8 16v A/N-5609
	01260401001 CAT 019 CSAI	03.2002		Alfa Romeo 147 TS 2.0 16v A/N-5625
	01260401001 CAT 020 CSAI	01.2003		FIAT Palio 1.6 16v A-5602

<b>SUZUKI (JAF)</b>	SUZUKI 60G2 FUTABA	07.1999		SUZUKI Baleno Kit Car
-------------------------	--------------------	---------	--	-----------------------

<b>TWR RACING (Motorsport UK)</b>	2/1279T-10	02.1995		ST
---------------------------------------	------------	---------	--	----

<b>UMWELTTECHNIK FREIBERG GMBH (DMSB)</b>	ONS 1054-60, UTF 14001			<i>for 60 mm diameter exhaust pipe</i>
	ONS 1052-60, UTF 10001		2 pieces in //	<i>for 60 mm diameter exhaust pipe</i>
	ONS 0903-60, UTF 019301		2 pieces in //	<i>for 60 mm diameter exhaust pipe</i>

<b>VIKTOR GÜNTHER GMBH (DMSB)</b>	VGS A 1054-60			<i>for 60 mm diameter exhaust pipe</i>
	VGS 1054-60			<i>for 60 mm diameter exhaust pipe</i>
	VGS 0903-60		2 pieces in //	<i>for 60 mm diameter exhaust pipe</i>
	VGS 0903-50		2 pieces in //	<i>for 50 mm diameter exhaust pipe</i>
	VGS 0903-55		2 pieces in //	<i>for 55 mm diameter exhaust pipe</i>
	VGS 1054-55			<i>for 55 mm diameter exhaust pipe</i>

INSTALLATION DU CATALYSEUR	INSTALLATION OF THE CATALYTIC CONVERTER
<ul style="list-style-type: none"><li>• Le catalyseur doit être conforme à la fiche d'homologation établie par l'ASN.</li><li>• Le catalyseur doit être monté sur le système d'échappement de la voiture conformément aux instructions du fabricant de ce catalyseur.</li><li>• La direction du flux doit être respectée.</li><li>• A tout moment, tout le gaz d'échappement doit passer par le(s) catalyseur(s).</li><li>• Aucune modification d'un catalyseur homologué n'est autorisée.</li><li>• Des protections thermiques doivent être montées.</li></ul>	<ul style="list-style-type: none"><li>• The catalytic converter must be in compliance with the homologation form issued by the ASN.</li><li>• The catalytic converter must be mounted in the exhaust system of the car according to the instructions of the manufacturer of the catalyser.</li><li>• The direction of flow must be respected.</li><li>• At any time, all exhaust gas must pass through the catalytic converter(s).</li><li>• No modifications to a homologated catalytic converter are allowed.</li><li>• Heat shieldings must be mounted.</li></ul>