



## 2017 ITALIAN GRAND PRIX

---

<b>From</b>	The FIA Formula One Technical Delegate	<b>Document</b>	43
<b>To</b>	The FIA Stewards of the Meeting	<b>Date</b>	03 September 2017
		<b>Time</b>	12:55

---

### Technical Delegate's Report

The following parts and parameters have been replaced / changed during the Parc Fermé yesterday and today:

#### Mercedes:

Car 44:      RHS front brake caliper temperature sensor  
                 Gearbox carrier harness  
                 Settings for change of RHS front brake calliper temperature sensor

Car 77:      LHS rear pullrod  
                 Settings for change of LHS rear pullrod load cell

#### Ferrari:

Car 05:      LHS and RHS rear tyre temperature sensor  
                 Roll hoop ERS light

Car 07:      LHS and RHS front brake calipers  
                 Front brake friction material  
                 LHS front brake caliper heatshield  
                 LHS front hub heatshield  
                 LHS front brake duct panels  
                 LHS front brake caliper temperature sensor

#### Force India Mercedes:

Car 11:      Gearbox assembly  
                 Rear suspension assembly  
                 Engine hydraulics

**Williams Mercedes:**

Car 19: RHS front damper sensor

Car 18: LHS rear pullrod

**McLaren Honda:**

Car 02: Bib legality wires  
Floor stay  
ICE (new)  
TC (new)  
MGU-H (new)  
MGU-K (new)  
Settings for change of PU elements and associated control electronics units

**Toro Rosso:**

Car 26: High pressure fuel pump  
Remote suspension reservoir LVDT  
RHS rain light fixings  
Settings for change of remote suspension reservoir LVDT

Car 55: Hydraulic powerpack assembly  
Rear engine cover support bracket  
RHS rain light fixings  
Front brake friction material  
Settings for change of hydraulic powerpack assembly  
Sensor zeros for change of front brake friction material

**Haas Ferrari:**

Car 08: Front wing / nose assembly  
Front mono damper  
RHS mirror  
Clutch actuator shaft  
Clutch housing heatshield  
Clutch assembly  
RHS front top wishbone  
RHS front lower wishbone

RHS front trackrod  
RHS front pushrod  
LHS and RHS top wishbone  
LHS and RHS lower front arm  
LHS and RHS lower rear arm  
LHS and RHS trackrod  
LHS and RHS pullrod  
LHS and RHS upright assembly  
LHS and RHS brake caliper  
Rear brake friction material  
Gearbox assembly  
Settings for change of rear suspension elements and gearbox assembly  
RHS front pushrod zero value

Car 20:      RHS front brake drum trap nut  
Floor fixing bolt and helicoil  
Helicoil on underside of chassis  
RHS exhaust pressure sensor  
Settings for change of RHS exhaust pressure sensor

**Renault:**

Car 27:      LHS exhaust secondaries  
Carbon disc on the rear of the floor  
RHS front brake disc temperature sensor bracket  
RHS rear wishbone loom  
LHS and RHS front multi point tyre temperature sensor

Car 30:      LHS exhaust secondaries  
Carbon disc on the rear of the floor  
RHS rear multi point tyre temperature sensor

**Sauber Ferrari:**

Car 09:      RHS side pod deflector bracket

Car 94:      LHS and RHS monofin

All above parts have been replaced with the approval of the FIA technical delegate following a written request from the team concerned, this being in accordance with Article 34.2 of the 2017 Formula One Sporting Regulations.

**Jo Bauer**

**The FIA Formula One Technical Delegate**