WEC COMMITTEE



TO:	⊠ Teams	⊠ Manufactur	ers	
CATEGORY:	☐ Hypercar	□ LMP2	⊠ LMGTE Am	
DECISION N°: WEC_2023_D0059_LMGTE_BOP				
DATE:	26/10/2023	FROM	1: The WEC Committee	
SUBJECT:	Balance of Performance of the LMGTE Am category for Bahrain			

APPLICABLE REGULATION

Article 6.3.2

\times 2023 FIA World Endurance Championship Sporting Regulations

DECISION

Please find below the LMGTE Am BOP table.

The Balance of Performance is established and adjusted using data and information supplied by the Competitors, Manufacturers to ACO / FIA, to the WEC Committee; the declaration of these data and information constitutes a commitment and is binding.

PERIOD OF VALIDITY/APPLICATION OF THE DECISION

This decision comes into effect: ⊠ with immediate application
☐ from:
And is applicable:
until further notice
$\ \square$ for the mentioned event(s) only







LMGTE AM

FERRARI - 488 GTE EVO	prev. (1)	adjust. (2)	final
MAXIMUM ONBOARD FUEL VOLUME (liter)	89 I.	-	89 I.
DECLARED MINIMUM LAMBDA	1,15		1,15
Engine power - Pboost ratio max vs RPM	Pho	ost ratio Max	(-)
4000	1,81	-	1,81
4500	1,79	-	1,79
5000	1,80	-	1,80
5500	1,78	-	1,78
6000	1,70	-	1,70
6500	1,59	-	1,59
7000	1,45	-	1,45
7100	1,08	-	1,08

ASTON MARTIN VANTAGE AMR	prev. (1)	adjust. (2)	final	
MAXIMUM ONBOARD FUEL VOLUME (liter)	89 I.	+2 l.	91 l.	
DECLARED MINIMUM LAMBDA	0,94	0,94		
Engine power - Pboost ratio max vs RPM	Pboost ratio Max (-)			
4000	1,38	+0,04	1,42	
4500	1,43	+0,04	1,47	
5000	1,43	+0,04	1,47	
5500	1,44	+0,04	1,48	
6000	1,44	+0,04	1,48	
6500	1,39	+0,04	1,43	
7000	1,30	+0,04	1,34	
7200	1,27	+0,04	1,31	
7300	1,14	+0,04	1,18	

PORSCHE 911 RSR - 19	prev. (1)	adjust. (2)	final
MAXIMUM ONBOARD FUEL VOLUME (liter)	101 l.	-	101 l.
DECLARED MINIMUM LAMBDA	0,89		0,89
Engine power - Air restrictor diameter	Pboost ratio Max (-)		
2 x MAXIMUM RESTRICTOR DIAMETER (mm)	30,6 mm		30,6 mm

CORVETTE C8.R	prev. (1)	adjust. (2)	final
MAXIMUM ONBOARD FUEL VOLUME (liter)	95 l.	-2 l.	93 l.
DECLARED MINIMUM LAMBDA	0,88		0,88
(**) Engine power - Air restrictor diameter			
1 x MAXIMUM RESTRICTOR DIAMETER (mm)	41,3 mm	-0,6 mm	40,7 mm

Notes:

Adjustments are made with:

- the waivers required;
- with the data provided by the manufacturers;
- with the information provided by the manufacturers;
- with analysis made by FIA/ACO.

(*): weight including camera (or dummy) equipment

(1): the previous value is referring to the previous BOP
(2): the adjust ments are related to the changes done for this BOP
(*): weight including camera (or dummy) equipment
(**): for tyre safety bondaries

COMPETITOR NAME	MINIMUM	MINIMUM CAR WEIGHT (kg) (*)						
CONFETTION NAME	Initial	SB (race-1)	SB (race-2)	SB (champ.)	Fixed (Art 6.3.4)	offset (**)	final	
AF CORSE - #21	1273						1273	
ORT by TF - #25	1245						1245	
CORVETTE RACING - #33	1275	10		15			1300	
AF CORSE - #54	1273	15		5			1293	
PROJECT 1 AO - #56	1269						1269	
KESSEL RACING #57	1273	5					1278	
IRON LYNX - #60	1269		10			0	1279	
DEMPSEY-PROTON RACING - #77	1269		15				1284	
RICHARD MILLE AF CORSE - #83	1273						1273	
IRON DAMES - #85	1269			10]	1279	
GR RACING - #86	1269		5				1274	
DEMPSEY-PROTON RACING - #88	1269						1269	
NORTHWEST AMR - #98	1245						1245	
D'STATION RACING - #777	1245					1	1245	





