

PLUMBED-IN FIRE EXTINGUISHER SYSTEMS HOMOLOGATED ACCORDING TO FIA STANDARD 8865-2015

TECHNICAL LIST N° 52

	In compliance with: FIA Standard 8865-2015		Homologation label
	Manufacturer Name: Name of Manufacturer		
	Serial N°: xxx xxx		
	Model	: Model Name	
	Homologation N°	: EX.XXX.XX	
	Type of Extinguishant	: Extinguishing medium	
Range of Temperature		: -15°C to 80°C	Maintenance label
Class of Fire		: Classe I (Petrol in accordance with Art. 9 of	
Weight/volume of:		: Article 252 of the 2014 Appendix J)	
* Complete bottle	: xx kg		
* Extinguishant	: yy kg or yy lt		

	Service carried out by: Name - «Name of Manufacturer»		Maintenance label
	Serial N°: xxx xxx		
Date of Service		: JAN 2019	Maintenance label
Date of Next Service		: JAN 2021	

Classification of fires:

Class I – Petrol in accordance with Art. 9 of Article 252 of the 2021 Appendix J
 Class II – Petrol + up to 30% ethanol
 Class III – Diesel in accordance with Art. 9 of Article 252 of the 2021 Appendix J
 Class IV – Ethanol up to 100% or methanol up to 100%
 Class V – Any other specific fuel

Label background colours:

Class I – white
 Class II – yellow
 Class III – silver
 Class IV – green
 Class V – turquoise
 An extinguishing medium approved for use on more than one class of fire – gold.

Cockpit volume = cockpit + luggage compartment volume if there is no bulkhead between them. Cockpit volume is the total volume throughout which the extinguishing medium is spread.

IF YOU CLICK HERE, YOU CAN DOWNLOAD ALL THE PRESENTATION FORMS AND USER MANUALS

Part 1 - Plumbed-In Fire Extinguishers

HOMOL. NUMBER	BRAND	MODEL	EXTINGUISHING MEDIUM	COCKPIT VOLUME	CLASS OF FIRE	NUMBER OF BOTTLES	START OF HOMOL.	END OF HOMOL. ⁽¹⁾
EX.001.15	LIFELINE	Zero 3620 – 2.3-4.03 m3	Novec 1230 & AR-AFFF+ (anti-freeze)	From 2.39 to 4.1 m3	Class I, II, III, IV	2	10.2015	10.2020
EX.002.15	SPA DESIGN	RP-D	Novec 1230	From 2.3 to 4.1 m3	Class III	2	10.2015	10.2020
EX.003.15	SPA DESIGN	RP-T	Novec 1230 & F-500	From 2.3 to 4.1 m3	Class I, II, V-E85	2	10.2015	10.2020
EX.004.15	SPA DESIGN	RP-S	Novec 1230 & F-500 Encapsulator	From 2.3 to 4.1 m3	Class I, II, V-E85	2	11.2015	11.2020
EX.005.15	LIFELINE	Zero 3620 – 1.6-2.3 m3	Novec 1230 & AR-AFFF+ (anti-freeze)	From 1.59 to 2.39 m3	Class I, II, III, IV, V-E85	2	12.2015	12.2020

⁽¹⁾ The homologation end date represents the final date on which the products may be manufactured

⁽²⁾ The validity of the product must always be that which is indicated on the product homologation label. The dates in this column are the latest possible dates that can be shown on the homologation label

HOMOL. NUMBER	BRAND	MODEL	EXTINGUISHING MEDIUM	COCKPIT VOLUME	CLASS OF FIRE	NUMBER OF BOTTLES	START OF HOMOL.	END OF HOMOL. ⁽¹⁾
EX.006.16	SPA DESIGN	XTREME-500	Novec 1230 & F-500 Encapsulator	From 2.3 to 4.1 m3	Class I, II, V-E85	2	10.2016	10.2021
EX.007.16	SPA DESIGN	XTREME-X	Novec 1230	From 2.3 to 4.1 m3	Class I, II, V-E85	2	10.2016	10.2021
EX.008.16	FEV	FX G-TEC3300R	FX G-TEC FE36	From 2.8 to 4.1 m3	Class I	1	10.2016	10.2021
EX.009.16	LIFELINE	Zero 3620 Fire Marshal	Novec 1230 & AR-AFFF+ (anti-freeze)	From 2.39 to 4.1 m3	Class I, II, III, V-E85	1	12.2016	12.2021
EX.010.17	FEV	FX G-TEC3300R3	FX G-TEC FE36	From 2.8 to 4.1 m3	Class I, II, V-E85	1	03.2017	03.2022
EX.011.17	SPA DESIGN	XTREME-X-1.4-2.3	Novec 1230	From 1.4 to 2.3 m3	Class I, II, V-E85	2	03.2017	03.2022
EX.012.17	LIFELINE	Zero 3620 Fire Marshal	Novec 1230 & AR-AFFF+ (anti-freeze)	From 1.6 to 2.3 m3	Class I, II, III, V-E85	1	05.2017	05.2022
EX.013.17	FEV	FX G-TEC2400R3	FX G-TEC FE36	From 1.59 to 2.34 m3	Class I, II, V-E85	1	10.2017	10.2027
EX.014.17	OMP	CESAL4L	Novec1230 & AFFF	From 2.2 to 4.1 m3	Class I, II, V-E85	1	12.2017	12.2027
EX.015.17	OMP	CESAL4S	Novec1230 & AFFF	From 1.2 to 2.2 m3	Class I, II, V-E85	1	12.2017	12.2027
EX.016.18	FEV	FX G-TEC2900R3	FX G-TEC FE36	From 2.25 to 3.31 m3	Class I, II, V-E85	1	03.2018	03.2028
EX.017.18	FEV	FX G-TEC2900R	FX G-TEC FE36	From 2.25 to 3.31 m3	Class I	1	03.2018	03.2028
EX.018.18	LIFELINE	ZERO 275 - 0-4 m3	Monnex & Coldfire + (anti-freeze)	From 1.4 to 4.1 m3	Class I, II	1	12.2018	12.2028
EX.019.19	FEV	N-TEC4100R	Novec 1230	From 2.3 to 4.1 m3	Class I	1	05.2019	05.2029
			FK5-1-12		Class II		11.2024	
							10.2024	
EX.020.19	FEV	N-TEC3550R	Novec 1230	From 2.0 to 3.2 m3	Class I	1	06.2019	05.2029
			FK5-1-12		Class II		11.2024	
							10.2024	
EX.021.19	FEV	N-TEC2950R	Novec 1230	From 1.25 to 2.3 m3	Class I	1	06.2019	05.2029
			FK5-1-12		Class II		11.2024	
							10.2024	
EX.022.19	OMP	CESAL5L	Novec 1230 & AFFF	From 2.2 to 4.1 m3	Class I, II, III, V-E85	1	10.2019	10.2029
EX.023.19	OMP	CESAL5S	Novec 1230 & AFFF	From 1.35 to 2.5 m3	Class I, II, III, V-E85	1	10.2019	10.2029
EX.024.21	FEV	FX G-TEC2400R3SV	FX G-TEC FE36	From 0.8 to 1.15 m3	Class I, II, V-E85	1	03.2021	03.2026
EX.025.21	OMP	CESAL5LE	Novec 1230	From 2.2 to 4.1 m3	Class I	1	07.2021	07.2026
EX.026.21	OMP	CESAL5SE	Novec 1230	From 1.35 to 2.5 m3	Class I	1	07.2021	07.2026
EX.027.21	SPARCO	014777EXP	FK 5-1-12	From 2.2 to 4.1 m3	Class I	1	10.2021	10.2026
EX.028.21	SPARCO	014779EXP	FK 5-1-12	From 1.35 to 2.3 m3	Class I	1	11.2021	11.2026

⁽¹⁾ The homologation end date represents the final date on which the products may be manufactured

⁽²⁾ The validity of the product must always be that which is indicated on the product homologation label. The dates in this column are the latest possible dates that can be shown on the homologation label
28.07.2025

HOMOL. NUMBER	BRAND	MODEL	EXTINGUISHING MEDIUM	COCKPIT VOLUME	CLASS OF FIRE	NUMBER OF BOTTLES	START OF HOMOL.	END OF HOMOL. ⁽¹⁾
EX.029.21	LIFELINE	ZERO EV – 1.7-3.13 m3	Novec 1230	From 1.7 to 3.13 m3	Class I, II, IV	1	11.2021	11.2026
			FK5-1-12				04.2024	
EX.030.22	LIFELINE	ZERO EV – 2.2-4.1 m3	Novec 1230	From 2.2 to 4.1 m3	Class I, II, IV	1	03.2022	03.2027
			FK5-1-12				04.2024	
EX.031.22	OMP	CESAL4XS	Novec1230 & AFFF	From 0.6 to 1.12 m3	Class I, II, V-E85	1	05.2022	05.2027
EX.032.22	LIFELINE	ZERO EV – 0.96-1.7 m3	Novec 1230	From 0.96 to 1.7 m3	Class I, II, IV	1	10.2022	10.2027
			FK5-1-12				04.2024	
EX.033.23	LIFELINE	ZERO 275L – 1.4-4.1 m3	Monnex & Cold Fire	From 1.4 to 4.1 m3	Class V-E75 & E85	1	09.2023	09.2028
EX.034.24	FEV	CF- TEC2700EK	Coldfire	Up to 4.1 m3	Class I, II, V-E85	1	05.2024	05.2029
EX.035.24	FEV	CF- TEC2700MK	Coldfire	Up to 4.1 m3	Class I, II, V-E85	1	10.2024	10.2029
EX.036.25	FEV	N-TEC2700R	Novec 1230 OR FK5-1-12	From 0.8 to 1.15 m3	CLASS I, II	1	03.2025	04.2030
EX.037.25	OMP	CESAL4LE	FK-5-1-12	From 2,2 to 4,1 m3	Class I, II	1	07.2025	07.2030
EX.038.25	OMP	CESAL4SE	FK-5-1-12	From 1.2 to 2.2 m3	Class I, II	1	07.2025	07.2030

⁽¹⁾ The homologation end date represents the final date on which the products may be manufactured

⁽²⁾ The validity of the product must always be that which is indicated on the product homologation label. The dates in this column are the latest possible dates that can be shown on the homologation label
28.07.2025

Part 2 - Hand-Held Fire Extinguishers

HOMOL. NUMBER	BRAND	MODEL	EXTINGUISHING MEDIUM	COCKPIT VOLUME	CLASS OF FIRE	NUMBER OF BOTTLES	START OF HOMOL.	END OF HOMOL. ⁽¹⁾
ME.001.24	FIREXO	1.4L Firexo ALL FIRES	Firexo ALL FIRES	1.4L	Class I, II, III, IV, V-E85	1	05.2024	05.2029
ME.002.24	FIREXO	1.75L Firexo ALL FIRES	Firexo ALL FIRES	1.74L	Class I, II, III, IV, V-E85	1	05.2024	05.2029
ME.003.24	FIREXO	2.0L Firexo ALL FIRES	Firexo ALL FIRES	2.0L	Class I, II, III, IV, V-E85	1	05.2024	05.2029
ME.004.24	FIREXO	2.4L Firexo ALL FIRES	Firexo ALL FIRES	2.4L	Class I, II, III, IV, V-E85	1	05.2024	05.2029
ME.005.24	FIREXO	6.0L Firexo ALL FIRES	Firexo ALL FIRES	6.0L	Class I, II, III, IV, V-E85	1	05.2024	05.2029
ME.006.24	FIREXO	9.0L Firexo ALL FIRES	Firexo ALL FIRES	9.0L	Class I, II, III, IV, V-E85	1	05.2024	05.2029

⁽¹⁾ The homologation end date represents the final date on which the products may be manufactured

⁽²⁾ The validity of the product must always be that which is indicated on the product homologation label. The dates in this column are the latest possible dates that can be shown on the homologation label
28.07.2025

HOMOLOGATIONS OF PLUMBED-IN FIRE EXTINGUISHER SYSTEMS / WARNING

There are no warnings for this product

⁽¹⁾ The homologation end date represents the final date on which the products may be manufactured

⁽²⁾ The validity of the product must always be that which is indicated on the product homologation label. The dates in this column are the latest possible dates that can be shown on the homologation label
28.07.2025